

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

1 Identification

- **Product identifier**
- **Trade name:** Auto Glanz Shampoo fluor
- **Article number:** 151071
- **Application of the substance / the mixture** Exterior vehicle cleaner
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Nextzett GmbH
An der Höhe 15
D-51674 Wiehl-Marienhagen
Deutschland
Tel: +49 2261 6095433
Fax: +49 2261 6095429
Email: info@nextzett.de / www.nextzett.de
- **Information department:** Abteilung Produktsicherheit
- **Emergency telephone number:** +49 (0)171 9939555

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS05 Corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**

- **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05



GHS07



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts
coconut oil diethanolamine condensate

- **Hazard statements**

Harmful if swallowed.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 1)

Causes skin irritation.

Causes serious eye damage.

Suspected of causing cancer.

Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Rinse mouth.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



Health = 3

Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *3

Fire = 0

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

| | | |
|-----------------|---|------------|
| CAS: 68411-30-3 | Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts | >10–≤25% |
| CAS: 68891-38-3 | Lineares (C12-14) Alcohol, ethoxyliert, sulfatiert, Natriumsalz | >2.5–<5% |
| CAS: 57-13-6 | urea | ≤2.5% |
| CAS: 68603-42-9 | coconut oil diethanolamine condensate Alternative CAS numbers: 68155-07-7, 8051-30-7 | ≥0.1–≤2.5% |

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 2)

· Verordnung (EG) Nr. 648/2004 über Detergenzien / Kennzeichnung der Inhaltsstoffe

| | |
|--|------------|
| anionic surfactants | ≥15 - <30% |
| non-ionic surfactants | <5% |
| preservation agents (pyridine-2-thiol 1-oxide, sodium salt, BENZISOTHIAZOLINONE) | |

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:** Immediately call a doctor.

· Information for doctor:

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture** No further relevant information available.

· Advice for firefighters

· **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

| | | |
|---------------|---------------------|----------------------|
| CAS: 57-13-6 | urea | 30 mg/m ³ |
| CAS: 111-42-2 | 2,2'-iminodiethanol | 3 mg/m ³ |

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 3)

| | | |
|-----------------|---------------------|-------------------------|
| · PAC-2: | | |
| CAS: 57-13-6 | urea | 280 mg/m ³ |
| CAS: 111-42-2 | 2,2'-iminodiethanol | 28 mg/m ³ |
| · PAC-3: | | |
| CAS: 57-13-6 | urea | 1,700 mg/m ³ |
| CAS: 111-42-2 | 2,2'-iminodiethanol | 130 mg/m ³ |

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class:** 12
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the other constituents have no known exposure limits.

CAS: 57-13-6 urea

WEEL Long-term value: 10 mg/m³

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the skin.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 4)

· Protection of hands:


Protective gloves

Suitable chemical resistant protective gloves (EN374) also at prolonged, direct contact (recommended protection index 6, corresponding 480 minutes permeation time according to EN 374) e.g. from Nitrilkautschuk (0,33-0,5 mm) Polyvinylchlorid (1mm).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:


Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties
· General Information
· Appearance:

| | |
|------------------------|-----------------|
| Form: | Viscous |
| Color: | Yellow |
| Odor: | Characteristic |
| Odor threshold: | Not determined. |

· pH-value at 20 °C (68 °F): 9.5

· Change in condition

| | |
|-------------------------------------|-----------------|
| Melting point/Melting range: | 4 °C (39.2 °F) |
| Boiling point/Boiling range: | 100 °C (212 °F) |

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 5)

| | |
|---|--|
| · Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| · Density at 20 °C (68 °F): | 1.033 g/cm ³ (8.62039 lbs/gal) |
| · Relative density | Not determined. |
| · Vapor density | Not determined. |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with Water: | Fully miscible. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| · Solvent content: | |
| Organic solvents: | 0.1 % |
| VOC content: | 0.09 % |
| | 0.9 g/l / 0.01 lb/gal |
| · Solids content: | 20.9 % |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral LD50 832 mg/kg

CAS: 57-13-6 urea

Oral LD50 8,471 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 6)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful
Irritant

· Carcinogenic categories
· IARC (International Agency for Research on Cancer)

| | | |
|-----------------|---------------------------------------|----|
| CAS: 68603-42-9 | coconut oil diethanolamine condensate | 2B |
| CAS: 111-42-2 | 2,2'-iminodiethanol | 2B |

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· **Aquatic toxicity:** No further relevant information available.

· Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

· Behavior in environmental systems:

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· Additional ecological information:
· General notes:

Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even small quantities leak into the ground.

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

· Waste treatment methods
· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

· **Recommendation:** Disposal must be made according to official regulations.

· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 7)

14 Transport information

| | |
|---|-----------------|
| · UN-Number | |
| · DOT, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · DOT, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · DOT, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · DOT, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

· **Section 313 (Specific toxic chemical listings):**

CAS: 111-42-2 | 2,2'-iminodiethanol

· **TSCA (Toxic Substances Control Act):**

| | | |
|-----------------|---|--------|
| CAS: 7732-18-5 | water, distilled, conductivity or of similar purity | ACTIVE |
| CAS: 68891-38-3 | Lineares (C12-14) Alcohol, ethoxyliert, sulfatiert, Natriumsalz | ACTIVE |
| CAS: 57-13-6 | urea | ACTIVE |
| CAS: 68603-42-9 | coconut oil diethanolamine condensate | ACTIVE |
| CAS: 7647-14-5 | sodium chloride | ACTIVE |
| CAS: 111-42-2 | 2,2'-iminodiethanol | ACTIVE |
| CAS: 3811-73-2 | pyridine-2-thiol 1-oxide, sodium salt | ACTIVE |
| CAS: 14860-53-8 | tetrapotassium (1-hydroxyethylidene)bisphosphonate | ACTIVE |
| CAS: 60376-08-1 | Trikaliumhydrogen (1-Hydroxyethyliden) bisphosphonat | ACTIVE |
| CAS: 2634-33-5 | 1,2-benzisothiazol-3(2H)-one | ACTIVE |
| CAS: 518-47-8 | disodium 2-(3-oxo-6-oxidoxanthen-9-yl)benzoate | ACTIVE |

· **Hazardous Air Pollutants**

CAS: 111-42-2 | 2,2'-iminodiethanol

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 8)

· **Proposition 65**

· **Chemicals known to cause cancer:**

CAS: 68603-42-9 coconut oil diethanolamine condensate

CAS: 111-42-2 2,2'-iminodiethanol

· **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

CAS: 57-13-6 urea

II

· **TLV (Threshold Limit Value established by ACGIH)**

CAS: 111-42-2 2,2'-iminodiethanol

A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05

GHS07

GHS08

· **Signal word Danger**

· **Hazard-determining components of labeling:**

Benzenesulfonic acid, C10-13-alkyl derivatives, sodium salts
coconut oil diethanolamine condensate

· **Hazard statements**

Harmful if swallowed.

Causes skin irritation.

Causes serious eye damage.

Suspected of causing cancer.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves / eye protection / face protection.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/11/2021

Reviewed on 01/11/2021

Trade name: Auto Glanz Shampoo fluor

(Contd. of page 9)

- Specific treatment (see on this label).
- Rinse mouth.
- Take off contaminated clothing and wash it before reuse.
- If skin irritation occurs: Get medical advice/attention.
- Store locked up.
- Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Contact:**
- **Date of preparation / last revision** 01/11/2021 / -
- **Abbreviations and acronyms:**
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - DOT: US Department of Transportation
 - IATA: International Air Transport Association
 - ACGIH: American Conference of Governmental Industrial Hygienists
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - NFPA: National Fire Protection Association (USA)
 - HMS: Hazardous Materials Identification System (USA)
 - VOC: Volatile Organic Compounds (USA, EU)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - NIOSH: National Institute for Occupational Safety
 - OSHA: Occupational Safety & Health
 - TLV: Threshold Limit Value
 - PEL: Permissible Exposure Limit
 - REL: Recommended Exposure Limit
 - Acute Tox. 4: Acute toxicity – Category 4
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 - Carc. 2: Carcinogenicity – Category 2
- *** Data compared to the previous version altered.**