

NEXTZETT "NO 2 ONE STEP POLISH"

Page: 1

Compilation date: 10.05.2017

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NEXTZETT "NO 2 ONE STEP POLISH"

Product code: 93111015, 93111015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: nextzett GmbH

An der Höhe 15

D-51674 Wiehl-Marienhagen

Deutschland

Tel: +49 (0)2261 6095433

Fax: +49 (0)2261 6095429

Email: info@nextzett.de / www.nextzett.de

1.4. Emergency telephone number

CHEMTEL 1-800-255-3924 (USA AND CANADA); +1-813-248-0585 (Worldwide International)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; -: EUH208

Most important adverse effects: Contains 2-methyl-4-isothiazolin-3-on, 1,2-benzisothiazolin-3-one. May produce an

allergic reaction. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains 2-methyl-4-isothiazolin-3-on, 1,2-benzisothiazolin-3-one. May

produce an allergic reaction.

H412: Harmful to aquatic life with long lasting effects.

Precautionary statements: P273: Avoid release to the environment.

P501: Dispose of contents/container to hazardous or special waste collection point.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

NEXTZETT "NO 2 ONE STEP POLISH"

Page: 2

Hazardous ingredients:

KOHLENWASSERSTOFFE, C10-13, N-ALKANE, ISO-ALKANE, CYCLISCHE VERBINDUNGEN, <2% AROMATEN - REACH registered number(s): 01-2119457273-39

EINECS	CAS	PBT / WEL	CLP Classification	Percent
918-481-9	64742-48-9	-	Asp. Tox. 1: H304; -: EUH066	30-50%

KOHLENWASSERSTOFFE, C10-13, N-ALKANE, ISOALKANE, CYCLOALKANE, AROMATEN (2-25%) - REACH registered number(s): 01-2119473977-17

919-164-8	-	-	Aquatic Chronic 3: H412; Asp. Tox. 1:	1-10%
			H304; STOT RE 1: H372	

KOHLENWASSERSTOFFE, C7-C9, N-ALKANE, ISOALKANE, CYCLISCHE - REACH registered number(s): 01-2119473851-33

920-750-0	64742-49-0	-	STOT SE 3: H336; Aquatic Chronic 2:	1-10%
			H411; Asp. Tox. 1: H304; Flam. Liq. 2:	
			H225; -: EUH066	

Contains: > 30 %

aliphatic hydrocarbons

< 5 %

aromatic hydrocarbons

soap

methyl isothiazolinone, benzene isothiazolinone

dye

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin.

Drench the affected skin with running water for 10 minutes or longer if substance is still on

skin. Consult a doctor.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

NEXTZETT "NO 2 ONE STEP POLISH"

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the

contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the

neighbourhood to the presence of fumes or gas.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Clean-up should be dealt with only by qualified personnel familiar with the specific

substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

NEXTZETT "NO 2 ONE STEP POLISH"

Page: 4

7.3. Specific end use(s)

Specific end use(s): PC31: Polishes and wax blends.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Odour: Characteristic odour

Solubility in water: Miscible

Viscosity: Viscous

Kinematic viscosity: >35

Viscosity test method: Flow time in seconds in a 3 mm ISO cup (ISO 2431)

Boiling point/range°C: 100 **Melting point/range°C:** No data available.

Flammability limits %: lower: 1 upper: 6

Flash point°C: > 63 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: 50 hPa (20°C)

Relative density: 0,951 **pH:** ca. 9,5

VOC g/l: 448

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

NEXTZETT "NO 2 ONE STEP POLISH"

Page: 5

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

KOHLENWASSERSTOFFE, C10-13, N-ALKANE, ISOALKANE, CYCLOALKANE, AROMATEN (2-25%)

Daphnia magna	48H EC50	10	mg/l
Oncorhynchus mykiss	96H LC50	10	mg/l
Pseudokirchneriella subcapitata	72H ErC50	10	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

NEXTZETT "NO 2 ONE STEP POLISH"

Page: 6

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms. Harmful to soil organisms.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: NOT Regulated: This product does not require classification by DOT, IATA, ICAO or IMDG.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other

routes of exposure cause the hazard>.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any damage

resulting from handling or from contact with the above product.