

NEXTZETT "NO 3 POLISH & WAX"

Page: 1

Compilation date: 10.05.2017

Revision date: 30.08.2018

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: NEXTZETT "NO 3 POLISH & WAX"

Product code: 93120515, 93121015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC31: Polishes and wax blends.

1.3. Details of the supplier of the safety data sheet

Company name: nextzett GmbH

An der Höhe 15

D-51674 Wiehl-Marienhagen

Deutschland

Tel: +49 (0)2261 6095433 **Fax:** +49 (0)2261 6095429

Email: info@nextzett.de / www.nextzett.de

1.4. Emergency telephone number

CHEMTEL 1-800-255-3924 (USA AND CANADA); +1-813-248-0585 (Worldwide International)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319; -: EUH208

Most important adverse effects: Contains 2-methyl-4-isothiazolin-3-on, 1,2-benzisothiazolin-3-one. May produce an

allergic reaction. Causes serious eye irritation.

2.2. Label elements

Label elements:

Hazard statements: EUH208: Contains 2-methyl-4-isothiazolin-3-on, 1,2-benzisothiazolin-3-one. May

produce an allergic reaction.

H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

NEXTZETT "NO 3 POLISH & WAX"

Page: 2

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical attention.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

KOHLENWASSERSTOFFE, C10-13, N-ALKANE, ISO-ALKANE, CYCLISCHE VERBINDUNGEN, <2% AROMATEN - REACH registered number(s): 01-2119457273-39

EINECS	CAS	PBT / WEL	CLP Classification	Percent
918-481-9	64742-48-9	-	Asp. Tox. 1: H304; -: EUH066	30-50%

DECAMETHYLCYCLOPENTASILOXAN - REACH registered number(s): 01-2119511367-43

208-764-9	541-02-6	Non-classified vPvB substance.	-	<1%

Contains: > 30 %

aliphatic hydrocarbons

< 5 %

soap

methyl isothiazolinone, benzene isothiazolinone

perfume

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

NEXTZETT "NO 3 POLISH & WAX"

Page: 3

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section 8

of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): PC31: Polishes and wax blends.

NEXTZETT "NO 3 POLISH & WAX"

Page: 4

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

Hazardous ingredients:

DECAMETHYLCYCLOPENTASILOXAN

Type	Exposure	Value	Population	Effect
DNEL	Inhalation	97,3 mg/m³	Workers	Systemic
DNEL	Inhalation	24,2 mg/m³	Workers	Local
		-		
DNEL	Inhalation (repeated dose)	97,3 mg/m ³	Workers	Systemic
DNEL	Inhalation (repeated dose)	24,2 mg/m³	Workers	Local
DNEL	Inhalation	17,3 mg/m³	Consumers	Systemic
DNEL	Inhalation	4,3 mg/m ³	Consumers	Local
DNEL	Inhalation (repeated dose)	17,3 mg/m³	Consumers	Systemic
DNEL	Inhalation (repeated dose)	4,3 mg/m³	Consumers	Local
DNEL	Dermal	5 mg/kg	Consumers	Systemic
DNEL	Dermal (repeated dose)	5 mg/kg	Consumers	Systemic
PNEC	Fresh water	0,0012 mg/l	-	-
PNEC	Marine water	0,00012 mg/l	-	-
PNEC	Fresh water sediments	2,39 mg/kg	-	-
PNEC	Marine sediments	0,239 mg/kg	-	-
PNEC	Soil (agricultural)	3,34 mg/kg	-	-
PNEC	Microorganisms in sewage treatment	>10 mg/l	-	-

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid

Solubility in water: Miscible

Viscosity: Viscous

Kinematic viscosity: >30 Sek.

NEXTZETT "NO 3 POLISH & WAX"

Page: 5

Viscosity test method: Flow time in seconds in a 3 mm ISO cup (ISO 2431)

Boiling point/range°C: 100 Melting point/range°C: +4

Flammability limits %: lower: 0,6 upper: 7

Flash point°C: 63 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: > 200 Vapour pressure: 22 hPa (20°C)

Relative density: 0,92 g/cm³ pH: 8-9

VOC g/l: 339

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong reducing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Toxicity values: No data available.

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

NEXTZETT "NO 3 POLISH & WAX"

Page: 6

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

Transport class: NOT Regulated: This product does not require classification by DOT, IATA, ICAO or IMDG.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

2015/830.

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.

H304: May be fatal if swallowed and enters airways.

H319: Causes serious eye irritation.

NEXTZETT "NO 3 POLISH & WAX"

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.

Page: 7