

Page 1/8

Printing date 07/11/2023

Reviewed on 07/11/2023

1 Identification

· Product identifier

· Trade name: Lotus Ultra Textil Protect

- Article number: 97250015
- · Application of the substance / the mixture Hydrophobing agent/ water repellent

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Nextzett GmbH An der Höhe 15 D-51674 Wiehl-Marienhagen Deutschland Tel: +49 2261 6095433 Fax: +49 2261 6095429 Email: info@nextzett.de / www.nextzett.de

• Information department: Safety Department • Emergency telephone number: CHEMTEL 1-800-255-3924 (USA AND CANADA)

^a 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

· Label elements

- GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- Hazard statements Void
- Precautionary statements
- Do not breathe spray.

Use only outdoors or in a well-ventilated area.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous components:

CAS: 34590-94-8	Dipropylene glycol monomethyl ether	≥2.5-<10%
CAS: 67-63-0	propan-2-ol	≥2.5-<10%
· Verordnung (EG)	Nr. 648/2004 über Detergenzien / Kennzeichnung der Inhaltsstoffe	
non-ionic surfactar	its	<5%
perfumes, preserva	tion agents (DIDECYLDIMONIUM CHLORIDE)	

4 First-aid measures

· Description of first aid measures

General information: No special measures required.

(Contd. on page 2)



Printing date 07/11/2023

Reviewed on 07/11/2023

Trade name: Lotus Ultra Textil Protect

(Contd. of page 1)

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water. •

After swallowing: If symptoms persist consult doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available. •

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

• Extinguishing media

• Suitable extinguishing agents: Use fire fighting measures that suit the environment. • Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. • Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See

Section 13 for disposal information. • **Protective Action Criteria for Chemicals**

• PAC-1:		
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	150 ppm
CAS: 67-63-0	propan-2-ol	400 ppm
CAS: 7173-51-5	didecyldimethylammonium chloride	0.82 mg/m ³
· PAC-2:		
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	1700* ppm
CAS: 67-63-0	propan-2-ol	2000* ppm
CAS: 7173-51-5	didecyldimethylammonium chloride	9 mg/m ³
· PAC-3:		1.101
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	9900** ppm
CAS: 67-63-0	propan-2-ol	12000** ppm
CAS: 7173-51-5	didecyldimethylammonium chloride	17 mg/m ³

(Contd. on page 3)



Printing date 07/11/2023

Reviewed on 07/11/2023

Trade name: Lotus Ultra Textil Protect

(Contd. of page 2)

7 Handling and storage

· Handling:

Precautions for safe handling

No special measures required. Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements. •

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class: 12

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see section 7. •

Control parameters

• Components with limit values that require monitoring at the workplace:	
CAS: 34590-94-8 Dipropylene glycol monomethyl ether	
PEL Long-term value: 600 mg/m³, 100 ppm Skin	
REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin	
TLV Long-term value: 50 ppm	
CAS: 67-63-0 propan-2-ol	
PEL Long-term value: 980 mg/m ³ , 400 ppm	
REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm	
TLV Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4	
Ingredients with biological limit values:	
CAS: 67-63-0 propan-2-ol	
BEI 40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)	
• Additional information: The lists that were valid during the creation were used as basis.	
• Exposure controls • Personal protective equipment: • General protective and hygienic measures: Do not inhale gases / fumes / aerosols.	
	(Contd. on page 4)



Printing date 07/11/2023

Reviewed on 07/11/2023

Trade name: Lotus Ultra Textil Protect

(Contd. of page 3)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:

· Breathing equipment:

Suitable chemical resistent protective gloves (EN374) also at prolonged, direct contact (recommended protection index 6, corresponding 480 minutes permeation time according to EN 374) e.g. from Nitrilkautschuk (0,33-0,5 mm) Polyvinylchlorid (1mm).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection: Goggles recommended during refilling.

Physical and chemical proper	iies	
Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Beige	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	3.1	
Change in condition		
Melting point/Melting range:	4 °C (39.2 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	0.997 g/cm³ (8.31997 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	



Printing date 07/11/2023

Reviewed on 07/11/2023

Trade name: Lotus Ultra Textil Protect

		(Contd. of page 4
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	8.4-≤8.7 %	
VOC content:	8.35-≤8.7 %	
	86.7 g/l / 0.72 lb/gal	
VOC (EC)	8.35-≤8.7 %	
Solids content:	≥1.8-2.1 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. •

Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

LD/LC50 values that are relevant for classification:			
CAS: 3459	CAS: 34590-94-8 Dipropylene glycol monomethyl ether		
Oral	LD50	5,135 mg/kg (rat)	
Dermal	LD50	>19,000 mg/kg (rab)	
CAS: 67-6	3-0 propan	2-2-ol	
Oral	LD50	5,045 mg/kg (rat)	
Dermal	LD50	12,800 mg/kg (rabbit)	
Inhalative	LC50/4 h	30 mg/l (rat)	
· Additional	No irritan No irritatii on: No sens toxicologic uct is not	nt effect.	
1 1		(Contd. on page 6)	



Printing date 07/11/2023

Reviewed on 07/11/2023

Trade name: Lotus Ultra Textil Protect

(Contd. of page 5) When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

CAS: 67-63-0 propan-2-ol

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available. ·

Persistence and degradability

The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available. ·

Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

not regulated

• UN proper shipping name • DOT, IMDG, IATA

· DOT, IMDG, IATA

not regulated

(Contd. on page 7)

3



Printing date 07/11/2023

Reviewed on 07/11/2023

Trade name: Lotus Ultra Textil Protect

		(Contd. of page 6)
Transport hazard class(es)		
DOT, ADN, IMDG, IATA		
· Class	not regulated	
Packing group		
DOT, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Anne.	х II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Section 355 (extre	mely hazardous substances):	
None of the ingredi	ents is listed.	
Section 313 (Spec	ific toxic chemical listings):	
CAS: 67-63-0 pr	opan-2-ol	
· TSCA (Toxic Sul	stances Control Act):	
CAS: 7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
CAS: 34590-94-8	Dipropylene glycol monomethyl ether	ACTIVE
CAS: 67-63-0	propan-2-ol	ACTIVE
	Dipropylene glycol (isomer unspecified)	ACTIVE
CAS: 7173-51-5	didecyldimethylammonium chloride	ACTIVE
· Hazardous Air Po	llutants	
None of the ingrea	lients is listed.	
Proposition 65		
· Chemicals known	to cause cancer:	
None of the ingredi	ents is listed.	
· Chemicals known	to cause reproductive toxicity for females: None	
of the ingredients is	listed.	
· Chemicals know	n to cause reproductive toxicity for males:	
None of the ingredi	ents is listed.	
· Chemicals known	to cause developmental toxicity:	
None of the ingredi	ents is listed.	
· Carcinogenic cate	zgories	
	ntal Protection Agency)	
None of the ingredi		
		(Contd. on page 8



Printing date 07/11/2023

Reviewed on 07/11/2023

(Contd. of page 7)

A4

Trade name: Lotus Ultra Textil Protect

• TLV (Threshold Limit Value)

CAS: 67-63-0 propan-2-ol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

• Other regulations, limitations and prohibitive regulations

· Besonders besorgniserregende Stoffe (SVHC) gemäß REACH, Artikel 57 None

of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact:

- Date of preparation / last revision 07/11/2023
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit * Data compared to the previous version altered.