

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

1 Identification

- Product identifier
 - Trade name: Vinyl-Rubber Extra
 - Article number: 151907
 - Application of the substance / the mixture Polishing agent/ Burnishing compound
 - Details of the supplier of the safety data sheet
 - Manufacturer/Supplier:
Nextzett GmbH
An der Höhe 15
D-51674 Wiehl-Marienhagen
Deutschland
Tel: +49 2261 6095433
Fax: +49 2261 6095429
Email: info@nextzett.de / www.nextzett.de
- Information department: Chemtel**
- **Emergency telephone number: 1-800-255-3924 (USA AND CANADA)**

2 Hazard(s) identification

- Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

- Label elements
 - GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS08

- Signal word Danger
 - Hazard-determining components of labeling:
ethanol
 - Hazard statements
May cause cancer.
 - Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:
- NFPA ratings (scale 0 - 4)



Health = 0
Fire = 0
Reactivity = 0

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 1)

· HMIS-ratings (scale 0 - 4)

HEALTH	*0	Health = *0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 64-17-5	ethanol	>2.5-≤10%
CAS: 102782-92-3	Siloxanes and Silicones,3-[(2-aminoethyl)amino]propyl Me, di-Me, methoxy-terminated	>2.5-<10%

· Verordnung (EG) Nr. 648/2004 über Detergenzien / Kennzeichnung der Inhaltsstoffe

non-ionic surfactants	<5%
perfumes (D-LIMONENE, CITRAL), preservation agents (2-BROMO-2-NITROPROPANE-1,3-DIOL, pyridine-2-thiol 1-oxide, sodium salt, BENZISOTHIAZOLINONE, OCTYLISOTHIAZOLINONE, METHYLISOTHIAZOLINONE, METHYLCHLOROISOTHIAZOLINONE)	

4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water. · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available. · Indication of any immediate medical attention and special treatment needed
No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available. · Advice for firefighters
- Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 2)

· **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment. See

Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

CAS: 63148-62-9	Polydimethylsiloxan	65 mg/m ³
CAS: 64-17-5	ethanol	1,800 ppm
CAS: 67-63-0	propan-2-ol	400 ppm
CAS: 102-71-6	Triethanolamine	15 mg/m ³
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
CAS: 78-93-3	butanone	200 ppm
CAS: 101-84-8	diphenyl ether	2 ppm
CAS: 112-31-2	decanal	1.8 ppm
CAS: 99-87-6	p-cymene	120 mg/m ³
CAS: 110-82-7	cyclohexane	300 ppm

· **PAC-2:**

CAS: 63148-62-9	Polydimethylsiloxan	720 mg/m ³
CAS: 64-17-5	ethanol	3300* ppm
CAS: 67-63-0	propan-2-ol	2000* ppm
CAS: 102-71-6	Triethanolamine	240 mg/m ³
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
CAS: 78-93-3	butanone	2700* ppm
CAS: 101-84-8	diphenyl ether	16 ppm
CAS: 112-31-2	decanal	19 ppm
CAS: 99-87-6	p-cymene	1,300 mg/m ³
CAS: 110-82-7	cyclohexane	1700* ppm

· **PAC-3:**

CAS: 63148-62-9	Polydimethylsiloxan	4,300 mg/m ³
CAS: 64-17-5	ethanol	15000* ppm
CAS: 67-63-0	propan-2-ol	12000** ppm
CAS: 102-71-6	Triethanolamine	1,500 mg/m ³
CAS: 5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
CAS: 78-93-3	butanone	4000* ppm
CAS: 101-84-8	diphenyl ether	96 ppm
CAS: 112-31-2	decanal	120 ppm
CAS: 99-87-6	p-cymene	1,900 mg/m ³

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

CAS: 110-82-7 cyclohexane

(Contd. of page 3)
10000** ppm

7 Handling and storage

- Handling:
 - Precautions for safe handling
 - Ensure good ventilation/exhaustion at the workplace.
 - Open and handle receptacle with care.
 - Information about protection against explosions and fires: Keep respiratory protective device available.
- Conditions for safe storage, including any incompatibilities
- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.
 - Storage class: 12
 - Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters
- Components with limit values that require monitoring at the workplace:
 - The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
 - At this time, the remaining constituent has no known exposure limits.

CAS: 64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
 - General protective and hygienic measures:
 - Keep away from foodstuffs, beverages and feed.
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Breathing equipment:
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
 - Protection of hands:



Protective gloves

Suitable chemical resistant protective gloves (EN374) also at prolonged, direct contact (recommended protection index 6, corresponding 480 minutes permeation time according to EN 374) e.g. from Nitrile Gloves (0,33-0,5 mm) Polyvinyl Chloride (1mm).

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties ·

General Information

· Appearance:

Form:	Fluid
Color:	Light blue
· Odor:	Pleasant
· Odor threshold:	Not determined.

· pH-value at 20 °C (68 °F): 7

· Change in condition

Melting point/Melting range:	4 °C (39.2 °F)
Boiling point/Boiling range:	100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not determined.

· Auto igniting: Product is not self igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

· Density at 20 °C (68 °F): 0.99 g/cm³ (8.26155 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 5)

· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	4.1 %
VOC content:	4.05 %
	40.1 g/l / 0.33 lb/gal
· Solids content:	17.3 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

CAS: 64-17-5 ethanol

Oral	LD50	7,060 mg/kg (rat)
Inhalative	LC50/4 h	20,000 mg/l (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Carcinogenic categories

· IARC (International Agency for Research on Cancer)		
CAS: 64-17-5	ethanol	1
CAS: 67-63-0	propan-2-ol	3
CAS: 102-71-6	Triethanolamine	3

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 6)

CAS: 5989-27-5	(R)-p-mentha-1,8-diene	3
CAS: 3844-45-9	Triphenylmethan-Farbstoff, Dihydrogen(ethyl)[4-[4-[ethyl(3-sulfonatobenzyl)]amino]-2'-sulfonatobenzhydryliden]cyclohexa-2,5-dien-1-yliden](3-sulfonatobenzyl)ammonium, Dinatriumsalz	3
CAS: 97-53-0	Eugenol	3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration) None of the ingredients is listed.

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available. ·
- Persistence and degradability
The surfactants contained in the product correspond to the legislation on the environmental compatibility of detergents and are biodegradable.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available. ·
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- UN-Number
- DOT, IMDG, IATA not regulated
- UN proper shipping name
- DOT, IMDG, IATA not regulated

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 7)

- Transport hazard class(es)
- DOT, ADN, IMDG, IATA
- Class not regulated
- Packing group
- DOT, IMDG, IATA not regulated
- Environmental hazards: Not applicable.
- Special precautions for user Not applicable.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.
- UN "Model Regulation": not regulated

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 *propan-2-ol*

CAS: 52-51-7 *bronopol (INN)*

CAS: 110-82-7 *cyclohexane*

· TSCA (Toxic Substances Control Act):

CAS: 7732-18-5	<i>water, distilled, conductivity or of similar purity</i>	ACTIVE
CAS: 63148-62-9	<i>Polydimethylsiloxan</i>	ACTIVE
CAS: 64-17-5	<i>ethanol</i>	ACTIVE
CAS: 102782-92-3	<i>Siloxanes and Silicones,3-[(2-aminoethyl)amino]propyl Me, di-Me, methoxy-terminated</i>	ACTIVE
CAS: 67-63-0	<i>propan-2-ol</i>	ACTIVE
CAS: 69011-36-5	<i>Tridecanoethoxylat, verzweigt mit 3-5 EO</i>	ACTIVE
CAS: 24938-91-8	<i>poly(oxy-1,2-ethanediyl), α-tridecyl-ω-hydroxy-</i>	ACTIVE
CAS: 102-71-6	<i>Triethanolamine</i>	ACTIVE
CAS: 61791-12-6	<i>castor oil, ethoxylated</i>	ACTIVE
CAS: 5989-27-5	<i>(R)-p-mentha-1,8-diene</i>	ACTIVE
CAS: 5392-40-5	<i>Citral</i>	ACTIVE
CAS: 78-93-3	<i>butanone</i>	ACTIVE
CAS: 52-51-7	<i>bronopol (INN)</i>	ACTIVE
CAS: 51566-62-2	<i>Citronellyl nitrile</i>	ACTIVE
CAS: 80-56-8	<i>alpha-Pinene</i>	ACTIVE
CAS: 106-23-0	<i>citronellal</i>	ACTIVE
CAS: 110-93-0	<i>6-Methyl-5-hepten-2-one</i>	ACTIVE
CAS: 68855-99-2	<i>Litsea cubeba oil</i>	ACTIVE

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 8)

CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	ACTIVE
CAS: 14860-53-8	tetrapotassium (1-hydroxyethylidene)bisphosphonate	ACTIVE
CAS: 101-84-8	diphenyl ether	ACTIVE
CAS: 112-31-2	decanal	ACTIVE
CAS: 106-24-1	Geraniol	ACTIVE
CAS: 99-87-6	p-cymene	ACTIVE
CAS: 60376-08-1	Trikaliumhydrogen (1-Hydroxyethyliden) bisphosphonat	ACTIVE
CAS: 3844-45-9	Triphenylmethan-Farbstoff, Dihydrogen(ethyl)[4-[4-[ethyl(3-sulfonatobenzyl)]amino]-2'-sulfonatobenzhydryliden]cyclohexa-2,5-dien-1-yliden](3-sulfonatobenzyl)ammonium, Dinatriumsalz	ACTIVE
CAS: 98-55-5	alpha-Terpineol	ACTIVE
CAS: 112-54-9	Lauric aldehyde	ACTIVE
CAS: 2634-33-5	1,2-benzisothiazol-3(2H)-one	ACTIVE
CAS: 8002-09-3	Yarmor Pine oil, synthetic	ACTIVE

· Hazardous Air Pollutants

CAS: 101-84-8 diphenyl ether

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 ethanol

· Carcinogenic categories

· EPA (Environmental Protection Agency)

CAS: 78-93-3 butanone I

CAS: 110-82-7 cyclohexane I

· TLV (Threshold Limit Value established by ACGIH)

CAS: 64-17-5 ethanol A3

CAS: 67-63-0 propan-2-ol A4

CAS: 80-56-8 alpha-Pinene A4

· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



GHS08

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 12/09/2020

Reviewed on 12/09/2020

Trade name: Vinyl-Rubber Extra

(Contd. of page 9)

- Signal word *Danger*
- Hazard-determining components of labeling:
ethanol
- Hazard statements
May cause cancer.
- Precautionary statements
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
- National regulations:
- Information about limitation of use:
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.
- Chemical safety assessment: *A Chemical Safety Assessment has not been carried out.*

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Contact:
- Date of preparation / last revision *12/09/2020 / -*
- Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Carc. 1A: Carcinogenicity - Category 1A
- ** Data compared to the previous version altered.*